


IN THE CLAIMS:

1. (Previously Presented) A compound of the structure



wherein Y, at each occurrence, is independently selected from the group consisting of C(O), CR¹, C(R²)(R³), NR⁵ and CH;

q is an integer of from 4 to 6;

A is NR⁶;

E is NR⁷;

J is O;

T is (CH₂)_b wherein b is an integer of from 0 to 2;

M is selected from the group consisting of C(R⁹)(R¹⁰) and (CH₂)_u wherein u is an integer of from 0 to 1;

L is (CH₂)_n wherein n is an integer of 0 or 1;

X is selected from the group consisting of CO₂B, and tetrazolyl;

W is selected from the group consisting of C and CR¹⁵;

B is H or alkyl;

R¹ at each occurrence is independently selected from the group consisting of

halogen, alkyl, alkoxy, -O(aralkyl), -CF₃, -NH₂, -OH, -NHC(O)N(C₁-C₃ alkyl)C(O)NH(C₁-C₃ alkyl), N(alkyl)SO₂(alkyl), -NH(aralkyl), -NHSO₂(C₁-C₃ alkyl), alkylamino, di(C₁-C₃ alkyl)amino, cycloalkyl, aryl, arylamino, alkoxy-alkoxy, 1-piperazinyl, 1-morpholinyl, 1-4-oxazinan -4-yl, 4-methyltetrahydro - 1(2H)- pyrazinyl, 1-azetanyl, and 3-alkyl-1-ureido wherein R¹ can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, aryl, aliphatic acyl, alkoxy, alkoxyalkoxy, alkoxyalkoxyalkoxy and carboxy;

R² and R³ are hydrogen;

R⁴ is selected from the group consisting of

hydrogen, alkyl, aryl, biaryl, alkylaryl and aralkyl, wherein R^4 can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, alkoxy, $-CF_3$, halogen, hydroxyl, $-OCF_3$, aryl, $-OCF_2H$, $-OCF_2CF_2H$, $-O(\text{cycloalkyl})$, $-OCH_2CF_3$, thioalkoxy, $-SO_2(\text{alkyl})$, 1-pyrrolidinyl, 1-piperidinyl, $-O(\text{cycloalkylalkyl})$, dialkylamino, cycloalkyl, haloalkyl, $-NHSO_2(\text{alkyl})$ and $-N(\text{alkyl})SO_2(\text{alkyl})$;

R^5 at each occurrence is independently selected from the group consisting of cycloalkylalkyl, aralkyl, and aryloxyalkyl wherein R^5 can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy, $-CF_3$, hydroxyl, nitro, amino, $-NH(\text{aliphatic acyl})$, $-NHSO_2(\text{alkyl})$, thioalkoxy, $-OCF_3$, $-SO_2(\text{alkyl})$, $-SO_2N(\text{alkyl})_2$, $-OCF_2H$, aliphatic acyl, $-OCH_2CF_3$, alkoxyalkoxy, $-SO_2(1\text{-pyrrolidinyl})$, $-SO_2(1\text{-piperidinyl})$, $-O(\text{cycloalkylalkyl})$, $-O(\text{aralkyl})$, 1-pyrrolidinyl and 1-piperidinyl;

R^6 and R^7 are independently hydrogen or alkyl;

R^9 and R^{10} are independently selected from the group consisting of hydrogen and alkyl; and

R^{15} is hydrogen;


wherein when at least one Y is CR^1 , R^1 and R^6 may be taken together to form a ring;

or a pharmaceutically acceptable salt thereof.

2. (Previously Presented) A compound of claim 1 wherein
 A is NR^6 ;
 E is NR^7 ;
 J is O;
 M is $\text{C}(\text{R}^9)(\text{R}^{10})$
 Q is 4 or 5;
 T is $(\text{CH}_2)_b$ wherein b is 0
 L is $(\text{CH}_2)_n$ wherein n is 0;
 X is CO_2B ;
 W is C or CR^{15} ;
 R^4 is aryl, and
 R^6 , R^7 , R^9 , R^{10} and R^{15} when present are hydrogen.

3. (Canceled)

4. (Previously Presented) A compound of the structure



wherein Y, at each occurrence, is independently selected from the group
 consisting of $\text{C}(\text{O})$, CR^1 , $\text{C}(\text{R}^2)(\text{R}^3)$, NR^5 and CH ;

q is an integer of from 4 to 6;

T is $(\text{CH}_2)_b$ wherein b is an integer of 0 to 2;

L is $(\text{CH}_2)_n$ wherein n is an integer of 0 or 1;

W is selected from the group consisting of C and CR^{15} ;

B is H or alkyl;

R^1 at each occurrence is independently selected from the group consisting of

halogen, alkyl, alkoxy, $-\text{O}(\text{aralkyl})$, $-\text{CF}_3$, $-\text{NH}_2$, $-\text{OH}$,
 $-\text{NHC}(\text{O})\text{N}(\text{C}_1\text{-C}_3 \text{ alkyl})\text{C}(\text{O})\text{NH}(\text{C}_1\text{-C}_3 \text{ alkyl})$, $-\text{NHSO}_2(\text{C}_1\text{-C}_3 \text{ alkyl})$, $\text{N}(\text{alkyl})$
 $\text{SO}_2(\text{alkyl})$, alkylamino, $\text{di}(\text{C}_1\text{-C}_3 \text{ alkyl})\text{amino}$, cycloalkyl, aryl, arylamino,
 alkoxyalkoxy, 1-piperazinyl, 1-morpholinyl, 1,4-oxazinan-4-yl, 4-

methyltetrahydro - 1(2H)- pyrazinyl, 1-azetanyl, and 3-alkyl-1-ureido wherein R^1 can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, aryl, aliphatic acyl, alkoxy, alkoxyalkoxy, alkoxyalkoxyalkoxy and carboxy;

R^2 and R^3 are hydrogen;

R^4 is selected from the group consisting of

hydrogen, alkyl, aryl, biaryl, alkylaryl and aralkyl wherein R^4 can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, alkoxy, $-CF_3$, halogen, hydroxyl, $-OCF_3$, aryl, $-OCF_2H$, $-OCF_2CF_2H$, $-O(\text{cycloalkyl})$, $-OCH_2CF_3$, thioalkoxy, $-SO_2(\text{alkyl})$, 1-pyrrolidinyl, 1-piperidinyl, $-O(\text{cycloalkylalkyl})$, dialkylamino, cycloalkyl, haloalkyl, $-NHSO_2(\text{alkyl})$ and $-N(\text{alkyl})SO_2(\text{alkyl})$;

R^5 at each occurrence is independently selected from the group consisting of

cycloalkylalkyl, aralkyl, and aryloxyalkyl wherein R^5 can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy, $-CF_3$, hydroxyl, nitro, amino, $-NH(\text{aliphatic acyl})$, $-NHSO_2(\text{alkyl})$, thioalkoxy, $-OCF_3$, $-SO_2(\text{alkyl})$, $-SO_2N(\text{alkyl})_2$, $-OCF_2H$, aliphatic acyl, $-OCH_2CF_3$, alkoxyalkoxy, $-SO_2(1\text{-pyrrolidinyl})$, $-SO_2(1\text{-piperidinyl})$, $-O(\text{cycloalkylalkyl})$, $-O(\text{aralkyl})$, 1-pyrrolidinyl and 1-piperidinyl;

R^6 and R^7 are independently hydrogen or alkyl; and

R^9 and R^{10} are independently selected from the group consisting of

hydrogen and alkyl; and

R^{15} is hydrogen

wherein when at least one Y is CR^1 , R^1 and R^6 may be taken together to form a ring

or a pharmaceutically acceptable salt thereof.

5. (Previously Presented) A compound of claim 4 wherein
 - q is 4 or 5;
 - W is C or CR^{15} ;
 - T is $(CH_2)_b$ wherein b is 0;

L is $(\text{CH}_2)_n$ wherein n is 0;


R^4 is aryl,

and

R^6 , R^7 , R^9 , R^{10} and R^{15} when present are hydrogen.

6. (Canceled)

7. (Previously Presented) A compound of the structure



wherein Y, at each occurrence, is independently selected from the group consisting of CR^1 , $\text{C}(\text{R}^2)(\text{R}^3)$ and CH ;

q is an integer of from 2 to 4;

T is $(\text{CH}_2)_b$ wherein b is an integer of 0 to 2;

L is $(\text{CH}_2)_n$ wherein n is an integer of 0 or 1;

B is H or alkyl;

R^1 at each occurrence is independently selected from the group consisting of

halogen, alkyl, -O(aralkyl), alkoxy, alkoxyalkoxy, $-\text{CF}_3$, $-\text{NH}_2$, $-\text{OH}$, $-\text{NHC}(\text{O})\text{N}(\text{C}_1\text{-C}_3 \text{ alkyl})\text{C}(\text{O})\text{NH}(\text{C}_1\text{-C}_3 \text{ alkyl})$, $-\text{NHSO}_2(\text{C}_1\text{-C}_3 \text{ alkyl})$, alkylamino, $\text{di}(\text{C}_1\text{-C}_3 \text{ alkyl})\text{amino}$, cycloalkyl, aryl, arylamino, $-\text{NH}(\text{aralkyl})$, 1-morpholinyl, 1-piperazinyl, $-\text{NH}(\text{aliphatic aryl})$, 1,4-oxazinan -4-yl, 4-methyltetrahydro - 1(2H)- pyrazinyl, 1-azetanyl and 3-alkyl-1-ureido wherein R^1 can be unsubstituted or substituted with one or more electron donating or

electron withdrawing groups selected from the group consisting of alkyl, aryl, aliphatic acyl, alkoxy, alkoxyalkoxy, alkoxyalkoxyalkoxy and carboxy;

R² and R³ are hydrogen;

R⁴ is selected from the group consisting of

alkyl, aryl, biaryl, and aralkyl wherein R⁴ can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, alkoxy, -CF₃, halogen, hydroxyl, -OCF₃, aryl, -OCF₂H, -OCF₂CF₂H, -O(cycloalkyl), -OCH₂CF₃, thioalkoxy, -SO₂(alkyl), 1-pyrrolidinyl, 1-piperidinyl, -O(cycloalkylalkyl), dialkylamino, cycloalkyl, haloalkyl, -NHSO₂(alkyl) and -N(alkyl)SO₂(alkyl);

R⁶ R⁷ are independently hydrogen or alkyl;

R⁹ and R¹⁰ are independently selected from the group of hydrogen and alkyl; and

R¹⁸ is selected from the group consisting of

cycloalkylalkyl, aralkyl, and aryloxyalkyl wherein R¹⁸ can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy, -CF₃, hydroxyl, nitro, amino, -NH(aliphatic acyl), -NHSO₂(alkyl), thioalkoxy, -OCF₃, -SO₂(alkyl), -SO₂N(alkyl)₂, -OCF₂H, aliphatic acyl, -OCH₂CF₃, alkoxyalkoxy, -SO₂(1-pyrrolidinyl), -SO₂(1-piperidinyl), -O(cycloalkylalkyl), -O(aralkyl), 1-pyrrolidinyl and 1-piperidinyl;

wherein when at least one Y is CR¹, R¹ and R⁶ may be taken together to form a ring;

or a pharmaceutically acceptable salt thereof.

8. (Previously Presented) A compound of claim 7 wherein R¹⁸ is aralkyl;

T is (CH₂)_b wherein b is 0;


L is (CH₂)_n wherein n is 0;

Y is selected from the group consisting of CR¹ and C(R²)(R³) and


Q is 2 or 3.

9. (Canceled)

10. (Previously Presented) A compound of claim 7 wherein



is selected from the group consisting of



wherein R^{18} is selected from the group consisting of cycloalkylalkyl, aralkyl and aryloxyalkyl wherein R^{18} can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy, -CF₃, hydroxyl, nitro, amino, -NH(aliphatic acyl), -NHSO₂(alkyl), thioalkoxy, -OCF₃, -SO₂(alkyl), -SO₂N(alkyl)₂, -OCF₂H, aliphatic acyl, -OCH₂CF₃, alkoxyalkoxy, -SO₂(1-pyrrolidinyl), -SO₂(1-piperidinyl), -O(cycloalkylalkyl), -O(aralkyl), 1-pyrrolidinyl and 1-piperidinyl;

R^{20} at each occurrence is independently selected from the group consisting of halogen, alkyl, alkoxy, alkoxyalkoxy, -O(aralkyl), -NH(aliphatic acyl), -CF₃, -NH₂, -OH, -NHC(O)N(C₁-C₃ alkyl)C(O)NH(C₁-C₃ alkyl), -NHSO₂(C₁-C₃ alkyl), alkylamino, di(C₁-C₃ alkyl)amino, cycloalkyl, aryl, arylamino, 1,4-oxazinan-4-yl, 4-methyltetrahydro-1(2H)-pyrazinyl, 1-azetanyl, 1-piperazinyl and 3-alkyl-1-ureido wherein R^{20} can be unsubstituted or substituted with one or more electron donating or electron

withdrawing groups selected from the group consisting of alkyl, aryl, alkoxy, alkoxyalkoxy and carboxy;

R^{21} is hydrogen;

R^{22} is hydroxy;

d is an integer of zero to three; and

e is zero.

11. (Currently Amended) A compound of claim 7 wherein ~~R^{18}~~ R^{18} is aralkyl;


R^4 is aryl;

T is $(CH_2)_b$ where b is zero;

L is $(CH_2)_n$ where n is zero; and,

B, R^6 , R^7 , R^9 and R^{10} are each independently hydrogen.

12. (Previously Presented) A compound of the structure



wherein T is $(CH_2)_b$ wherein b is 0;

L is $(CH_2)_n$ wherein n is;

g is an integer of from 0 to 7;

B is H or alkyl;

R^4 is selected from the group consisting of

aryl, biaryl, and aralkyl, wherein R^4 can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the

group consisting of alkyl, alkoxy, -CF₃, halogen, hydroxyl, -OCF₃, aryl, -OCF₂H, -OCF₂CF₂H, -O(cycloalkyl), -OCH₂CF₃, thioalkoxy, -SO₂(alkyl), 1-pyrrolidinyl, 1-piperidinyl, -O(cycloalkylalkyl), dialkylamino, cycloalkyl, haloalkyl, -NHSO₂(alkyl) and -N(alkyl)SO₂(alkyl);

R⁶ and R⁷ are each hydrogen;

R⁹ and R¹⁰ are independently selected from the group consisting of hydrogen and alkyl;


R¹⁸ is selected from the group consisting of cycloalkylalkyl, aralkyl, and aryloxyalkyl wherein R¹⁸ can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy, -CF₃, hydroxyl, nitro, amino, -NH(aliphatic acyl), -NHSO₂(alkyl), thioalkoxy, -OCF₃, -SO₂(alkyl), -SO₂N(alkyl)₂, -OCF₂H, aliphatic acyl, -OCH₂CF₃, alkoxyalkoxy, -SO₂(1-pyrrolidinyl), -SO₂(1-piperidinyl), -O(cycloalkylalkyl), -O(aralkyl), 1-pyrrolidinyl and 1-piperidinyl; and

R²³ at each occurrence is independently selected from the group consisting of hydrogen, halogen, alkyl, -O(aralkyl), alkoxy, alkoxyalkoxy, -CF₃, -NH₂, -NH(aralkyl), -NH(aliphatic acyl), -OH, -NHC(O)N(C₁-C₃ alkyl)C(O)NH(C₁-C₃ alkyl), -NHSO₂(C₁-C₃ alkyl), alkylamino, di(C₁-C₃ alkyl)amino, cycloalkyl, aryl, arylamino, 1,4-oxazinan -4-yl, 4-methyltetrahydro - 1(2H)- pyrazinyl, 1-azetanyl, 1-morpholinyl, 1-piperazinyl, and 3-alkyl-1-ureido wherein R²³ can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, aryl, carboxy and alkoxyalkoxy;

or a pharmaceutically acceptable salt thereof.

13. (Canceled)

14. (Previously Presented) A compound of the structure



wherein h is an integer of zero to five;

B, R⁶, R⁷, R⁹, R¹⁰ are independently selected from the group consisting of hydrogen and alkyl;

R¹⁸ is selected from the group consisting of

cycloalkylalkyl, aralkyl, and aryloxyalkyl wherein R¹⁸ can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy, -CF₃, hydroxyl, nitro, amino, -NH(aliphatic acyl), -NHSO₂(alkyl), thioalkoxy, -OCF₃, -SO₂(alkyl), -SO₂N(alkyl)₂, -OCF₂H, aliphatic acyl, -OCH₂CF₃, alkoxyalkoxy, -SO₂(1-pyrrolidinyl), -SO₂(1-piperidinyl), -O(cycloalkylalkyl), -O(aralkyl), 1-pyrrolidinyl and 1-piperidinyl;

R²⁴ is selected from the group consisting of hydrogen and alkyl;

R²⁵ is selected from the group consisting of

hydrogen, halogen, alkyl and cycloalkyl;

R²⁶ is selected from the group consisting of hydrogen, alkyl, alkoxyalkoxyalkyl and aralkyl; and

R²⁷ at each occurrence is independently selected from the group consisting of

halogen, hydroxyl, alkyl, alkoxy, thioalkoxy, -CF₃, di(C₁-C₃ alkyl)amino, haloalkyl, cycloalkyl, aryl, -O(haloalkyl), -O(cycloalkyl), -O(cycloalkylalkyl), -NHSO₂(alkyl),

-N(alkyl)SO₂(alkyl), piperidinyl, pyrrolidinyl, and -SO₂-(C₁-C₃ alkyl)


wherein R²⁷ can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkoxy, alkyl and halogen;

or a pharmaceutically acceptable salt thereof.

15. (Previously Presented) The compound of claim 14 wherein B, R⁶, R⁷, R⁹, R¹⁰, R²⁴, R²⁵ and R²⁶ are each independently hydrogen or alkyl and R¹⁸ is substituted or unsubstituted aralkyl.

16. (Canceled)

17. (Previously Presented) A compound of the structure



wherein Z, at each occurrence, is independently selected from the group consisting of C(R³¹)(R³²), N, CH, O and S;

z is an integer of from 3 to 5;

k is 1;

T is (CH₂)_b wherein b is an integer of from 0 to 1;

L is (CH₂)_n wherein n is an integer of 0 or 1;

B, R⁶, R⁷, R⁹ and R¹⁰ are independently selected from the group consisting of hydrogen and alkyl;

R⁴ is selected from the group consisting of

hydrogen, aryl, alkyl, aralkyl and biaryl wherein R^4 can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, alkoxy, $-CF_3$, halogen, hydroxyl, $-OCF_3$, aryl, $-OCF_2H$, $-OCF_2CF_2H$, $-O(\text{cycloalkyl})$, $-OCH_2CF_3$, thioalkoxy, $-SO_2(\text{alkyl})$, 1-pyrrolidinyl, 1-piperidinyl, $-O(\text{cycloalkylalkyl})$, dialkylamino, cycloalkyl, haloalkyl, $-NHSO_2(\text{alkyl})$ and $-N(\text{alkyl})SO_2(\text{alkyl})$;

R^{31} and R^{32} are hydrogen;

R^{18} is selected from the group consisting of aralkyl aryloxyalkyl and cycloalkylalkyl wherein R^{18} can be unsubstituted or substituted with one or more electron donating or electron withdrawing groups selected from the group consisting of alkyl, 3-aryl-1-ureido, halogen, cyano, alkoxy, $-CF_3$, hydroxyl, nitro, amino, $-NH(\text{aliphatic acyl})$, $-NHSO_2(\text{alkyl})$, thioalkoxy, $-OCF_3$, $-SO_2(\text{alkyl})$, $-SO_2N(\text{alkyl})_2$, $-OCF_2H$, aliphatic acyl, $-OCH_2CF_3$, alkoxyalkoxy, $-SO_2(1\text{-pyrrolidinyl})$, $-SO_2(1\text{-piperidinyl})$, $-O(\text{cycloalkylalkyl})$, $-O(\text{aralkyl})$, 1-pyrrolidinyl and 1-piperidinyl; and


R^{29} is hydroxyl;

or a pharmaceutically acceptable salt thereof.

18. (Canceled)

19. (Original) The compound of claim 17 wherein z is three or four.

20. (Withdrawn) A compound of the structure



wherein R^{24} and R^{25} are each independently selected from the group consisting of hydrogen, halogen, alkyl, alkenyl, alkynyl, alkoxy, alkenoxy, alkynoxy, thioalkoxy, hydroxyalkyl, aliphatic acyl, $-CF_3$, $-SH$, $-OH$,


-CO₂H, -CN, -NO₂, -NH₂, alkynylamino, alkoxycarbonyl, heterocycloyl, carboxy, -N(C₁-C₃ alkyl)-C(O)(C₁-C₃ alkyl), -NHC(O)N(C₁-C₃ alkyl)C(O)NH(C₁-C₃alkyl), -NHC(O)NH(C₁-C₆ alkyl), -NHSO₂(C₁-C₃ alkyl), -NHSO₂(aryl), alkoxyalkyl, alkylamino, alkenylamino, di(C₁-C₃)amino, -C(O)O-(C₁-C₃)alkyl, -C(O)NH-(C₁-C₃)alkyl, -C(O)N(C₁-C₃ alkyl)₂, -CH=NOH, -PO₃H₂, -OPO₃H₂, haloalkyl, alkoxyalkoxy, carboxaldehyde, carboxamide, cycloalkyl, cycloalkenyl, cycloalkynyl, cycloalkylalkyl, aryl, aroyl, aryloxy, arylamino, biaryl, thioaryl, diarylamino, heterocyclyl, alkylaryl, aralkenyl, aralkyl, alkylheterocyclyl, heterocyclylalkyl, sulfonyl, -SO₂-(C₁-C₃ alkyl), -SO₃-(C₁-C₃ alkyl), sulfonamido, carbamate, aryloxyalkyl and -C(O)NH(benzyl) groups; and R¹⁸ and R³⁴ are each independently selected from the group consisting of alkyl, alkenyl, alkynyl, hydroxyalkyl, aliphatic acyl, alkynylamino, alkoxycarbonyl, heterocycloyl, -CH=NOH, haloalkyl, alkoxyalkoxy, carboxaldehyde, carboxamide, cycloalkyl, cycloalkenyl, cycloalkynyl, cycloalkylalkyl, aryl, aroyl, aryloxy, arylamino, biaryl, thioaryl, diarylamino, heterocyclyl, alkylaryl, aralkenyl, aralkyl, alkylheterocyclyl, heterocyclylalkyl, carbamate, aryloxyalkyl, hydrogen and -C(O)NH(benzyl) groups;

wherein R¹⁸, R²⁴, R²⁵ and R³⁴ are unsubstituted or substituted with at least one electron donating or electron withdrawing group;

and wherein R²⁴ and R²⁵ taken together may form a ring;

with the proviso that when R²⁴ and R²⁵ taken together form a ring, the ring formed is not benzene.

21. (Withdrawn) A compound of claim 20 wherein R³⁴ is hydrogen;
R¹⁸ is aralkyl; and R²⁴ and R²⁵ are each independently selected from the group consisting of hydrogen, lower alkyl, and lower alkyl wherein R²⁴ and R²⁵ taken together may form a ring.
22. (Withdrawn) A compound of claim 20 of the structure



wherein R^{24} and R^{25} are each independently selected from the group consisting of hydrogen, halogen, alkyl, alkenyl, alkynyl, alkoxy, alkenoxy, alkynoxy, thioalkoxy, hydroxyalkyl, aliphatic acyl, $-CF_3$, $-SH$, $-OH$, $-CO_2H$, $-CN$, $-NO_2$, $-NH_2$, alkynylamino, alkoxycarbonyl, heterocycloyl, carboxy, $-N(C_1-C_3 \text{ alkyl})-C(O)(C_1-C_3 \text{ alkyl})$, $-NHC(O)N(C_1-C_3 \text{ alkyl})C(O)NH(C_1-C_3 \text{ alkyl})$, $-NHC(O)NH(C_1-C_6 \text{ alkyl})$, $-NHSO_2(C_1-C_3 \text{ alkyl})$, $-NHSO_2(\text{aryl})$, alkoxyalkyl, alkylamino, alkenylamino, $di(C_1-C_3 \text{ amino})$, $-C(O)O-(C_1-C_3 \text{ alkyl})$, $-C(O)NH-(C_1-C_3 \text{ alkyl})$, $-C(O)N(C_1-C_3 \text{ alkyl})_2$, $-CH=NOH$, $-PO_3H_2$, $-OPO_3H_2$, haloalkyl, alkoxyalkoxy, carboxaldehyde, carboxamide, cycloalkyl, cycloalkenyl, cycloalkynyl, cycloalkylalkyl, aryl, aroyl, aryloxy, arylamino, biaryl, thioaryl, diarylamino, heterocyclyl, alkylaryl, aralkenyl, aralkyl, alkylheterocyclyl, heterocyclylalkyl, sulfonyl, $-SO_2-(C_1-C_3 \text{ alkyl})$, $-SO_3-(C_1-C_3 \text{ alkyl})$, sulfonamido, carbamate, aryloxyalkyl and $-C(O)NH(\text{benzyl})$ groups;

R^{34} is selected from the group consisting of alkyl, alkenyl, alkynyl, hydroxyalkyl, aliphatic acyl, alkynylamino, alkoxycarbonyl, heterocycloyl, $-CH=NOH$, haloalkyl, alkoxyalkoxy, carboxaldehyde, carboxamide, cycloalkyl, cycloalkenyl, cycloalkynyl, cycloalkylalkyl, aryl, aroyl, aryloxy, arylamino, biaryl, thioaryl, diarylamino, heterocyclyl, alkylaryl, aralkenyl, aralkyl, alkylheterocyclyl, heterocyclylalkyl, carbamate, aryloxyalkyl, hydrogen and $-C(O)NH(\text{benzyl})$ groups; and,

R^{35} , at each occurrence, is independently selected from the group consisting of halogen, hydroxyl, alkyl, alkenyl, alkynyl, alkoxy, alkenoxy, alkynoxy, thioalkoxy, hydroxyalkyl, aliphatic acyl, $-CF_3$, $-CO_2H$, $-SH$, $-CN$, $-NO_2$, $-NH_2$, alkynylamino, alkoxycarbonyl, heterocycloyl, carboxy, $-N(C_1-C_3 \text{ alkyl})-C(O)(C_1-C_3 \text{ alkyl})$,

-NHC(O)N(C₁-C₃ alkyl)C(O)NH(C₁-C₃alkyl), -NHC(O)NH(C₁-C₆ alkyl),
 -NHSO₂(C₁-C₃ alkyl), -NHSO₂(aryl), alkoxyalkyl, alkylamino,
 alkenylamino, di(C₁-C₃)amino, -C(O)O-(C₁-C₃)alkyl,
 -C(O)NH-(C₁-C₃)alkyl, -C(O)N(C₁-C₃ alkyl)₂, -CH=NOH, -PO₃H₂,
 -OPO₃H₂, haloalkyl, alkoxyalkoxy, carboxaldehyde, carboxamide,
 cycloalkyl, cycloalkenyl, cycloalkynyl, cycloalkylalkyl, aryl, aroyl,
 aryloxy, arylamino, biaryl, thioaryl, diarylamino, heterocyclyl, alkylaryl,
 aralkenyl, aralkyl, alkylheterocyclyl, heterocyclylalkyl, sulfonyl,
 -SO₂-(C₁-C₃ alkyl), -SO₃-(C₁-C₃ alkyl), sulfonamido, carbamate,
 aryloxyalkyl and -C(O)NH(benzyl) groups;

wherein R²⁴, R²⁵, R³⁴ and R³⁵ are unsubstituted or substituted with
 at least one electron donating or electron withdrawing
 group; and,

m is an integer of from 0 to 5.

23. (Withdrawn) A compound of claim 22 wherein R³⁴ is hydrogen;

m is an integer of one to three and R³⁵ at each occurrence is selected from the
 group consisting of alkyl, halogen, alkoxy, haloalkyl, sulfonyl, -OH and -CN.

24. (Withdrawn) A compound of claim 20 selected from the group consisting of
 5-(2-chlorobenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-6-
 methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-fluorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-fluorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-benzyl-6-methyl-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-benzyl-3,5-dihydro[1,3]oxazolo[4,5-
 c]pyridine-2,4-dione, 5-(2,5-dimethylbenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-
 dione, 5-(2-methylbenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,4-
 dichlorobenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-methoxybenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,5-difluorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-chloro-5-(methylthio)benzyl]-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-fluorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-5-methoxybenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[3,5-bis(trifluoromethyl)benzyl]-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-tert-butylbenzyl)-3,5-

dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3-chlorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-chlorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[3-(trifluoromethyl)benzyl]-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-bromobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3,4-dichlorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-methylbenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-methoxybenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[4-(trifluoromethyl)benzyl]-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3-methylbenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(pyridin-2-ylmethyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-methyl-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,4-difluorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,6-difluorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[3-(trifluoromethoxy)benzyl]-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[4-(trifluoromethoxy)benzyl]-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-(trifluoromethyl)benzyl]-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3-methoxybenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,3-dichlorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3,5-dimethylbenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-pentyl-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,4-dichlorobenzyl)-7-methyl-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-ethyl-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 7-butyl-5-(2-chlorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-chloro-5-(trifluoromethyl)benzyl]-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,6-dichlorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-5-fluorobenzyl)-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-methylbenzyl)-7-methyl-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-chlorobenzyl)-7-methyl-3,5-
 dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-5,6,7,8-tetrahydro-2H-
 cyclopenta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-dione, 7-methyl-5-[4-
 (methylsulfonyl)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-
 methoxybenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-
 propyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 4-[(2,4-dioxo-2,3-
 dihydro[1,3]oxazolo[4,5-c]pyridin-5(4H)-yl)methyl]-N,N-dimethylbenzenesulfonamide, 5-

(mesitylmethyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-3,5,6,7,8,9-hexahydro[1,3]oxazolo[4,5-c]quinoline-2,4-dione, 5-(2-chlorobenzyl)-7-ethyl-6-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-(methylthio)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 2-[(2,4-dioxo-2,3-dihydro[1,3]oxazolo[4,5-c]pyridin-5(4H)-yl)methyl]-N,N-dimethylbenzenesulfonamide, 5-(2,6-dimethoxybenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-(trifluoromethoxy)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-6,7-dimethyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-chloro-5-(methylsulfonyl)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-chloro-2-methoxybenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-5,6,7,8,9,10-hexahydro-2H-cyclohepta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-dione, 5-[2-(difluoromethoxy)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 7-methyl-5-[(1R)-1-phenylethyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(4-chlorobenzyl)-7-propyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-(methylsulfonyl)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,6-dimethylbenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 3-chloro-2-[(2,4-dioxo-2,3-dihydro[1,3]oxazolo[4,5-c]pyridin-5(4H)-yl)methyl]benzonitrile, 5-(2-chloro-6-methylbenzyl)-6,7-dimethyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 2-[(2,4-dioxo-2,3-dihydro[1,3]oxazolo[4,5-c]pyridin-5(4H)-yl)methyl]benzonitrile, 5-(2-chloro-6-methoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[3-(methylthio)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-cyclopropyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3-chlorobenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,6-dichlorobenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 7-methyl-5-(4-methylbenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(3,5-dimethoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,6-difluorobenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[3-(methylsulfonyl)benzyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-ethoxybenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-ethoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-fluoro-6-methoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-methoxybenzyl)-7-propyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(5-chloro-2-fluorobenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-isopropyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(5-fluoro-2-methylbenzyl)-7-methyl-3,5-

dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 7-methyl-5-[(1S)-1-phenylethyl]-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-5-isopropoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(5-acetyl-2-methoxybenzyl)-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-d]pyridazine-2,4-dione, 5-[2-fluoro-6-(trifluoromethyl)benzyl]-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-methylbenzyl)-5,6,7,8-tetrahydro-2H-cyclopenta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-dione, 5-(2-chloro-6-ethoxybenzyl)-7-ethyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-propoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-isobutoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-ethoxybenzyl)-5,6,7,8-tetrahydro-2H-cyclopenta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-dione, 5-(2-chloro-6-isopropoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-chloro-6-(2,2,2-trifluoroethoxy)benzyl]-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-ethoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-d]pyridazine-2,4-dione, 5-[2-chloro-6-(2-methoxyethoxy)benzyl]-5,6,7,8-tetrahydro-2H-cyclopenta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-dione, 5-(2-chloro-6-ethoxybenzyl)-6,7-dimethyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-ethoxybenzyl)-7-ethyl-6-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chlorobenzyl)-7-ethyl-3,5-dihydro[1,3]oxazolo[4,5-d]pyridazine-2,4-dione, 5-(2-chloro-6-ethoxybenzyl)-7-propyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-ethoxybenzyl)-7-cyclopropyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-5-propoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-5-methoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-6-ethoxybenzyl)-6-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2-chloro-5-ethoxybenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-chloro-5-(piperidin-1-ylsulfonyl)benzyl]-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-chloro-5-(pyrrolidin-1-ylsulfonyl)benzyl]-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-chloro-6-(cyclopentylmethoxy)benzyl]-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-[2-(benzyloxy)-6-chlorobenzyl]-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione, 5-(2,3-dichloro-6-ethoxybenzyl)-5,6,7,8-tetrahydro-2H-cyclopenta[b][1,3]oxazolo[5,4-d]pyridine-2,4(3H)-dione, 5-[2-chloro-5-(trifluoromethyl)benzyl]-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione and 5-(2-chloro-5-fluorobenzyl)-7-methyl-3,5-dihydro[1,3]oxazolo[4,5-c]pyridine-2,4-dione.

25. (Currently Amended) A compound selected from the group consisting of (3S)-3-(1,3-benzodioxol-5-yl)-3-[(2-oxo-1-(phenylmethyl)-4-propyl-1,2-dihydro-3-pyridinyl)amino]carbonyl]amino]propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-ethyl-2-oxo-1,2-dihydro-3-pyridinyl]amino]carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl]amino]carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[6-methyl-2-oxo-1-(phenylmethyl)-4-[(phenylmethyl)oxy]-1,2-dihydro-3-pyridinyl]amino]carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-2,4-dimethyl-6-oxo-1,6-dihydro-5-pyrimidinyl]amino]carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[4-amino-1-[(2-chlorophenyl)methyl]-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl]amino]carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl]amino]carbonyl]amino]-3-[4-(methyloxy)phenyl]propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl]amino]carbonyl]amino]-3-(3,4-dimethylphenyl)propanoic acid, (3S)-3-[[[4-amino-1-[(2-chlorophenyl)methyl]-2-oxo-1,2-dihydro-3-pyridinyl]amino]carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl]amino]carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-(1,4-oxazinan-4-yl)-2-oxo-1,2-dihydro-3-pyridinyl]amino]carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-2-oxo-4-(propylamino)-1,2-dihydro-3-pyridinyl]amino]carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-[(2-bromophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl]amino]carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl]amino]carbonyl]amino]-3-[3-methyl-4-(methyloxy)phenyl]propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-2-oxo-4-phenyl-1,2-dihydro-3-pyridinyl]amino]carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-[(2-[(2-methyloxy)ethyl]oxy)ethyl]oxy]-2-oxo-1,2-dihydro-3-pyridinyl]amino]carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-hydroxy-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl]amino]carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-[(2-chlorophenyl)methyl]-4-[(1,1-dimethylethyl)amino]-2-oxo-1,2-dihydro-3-pyridinyl]amino]carbonyl]amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[[1-[(2-

chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-phenylpropanoic acid, (3S)-3-{{1-[(2-chlorophenyl)methyl]-4-[4-methyltetrahydro-1(2H)-pyrazinyl]-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-[4-(methyloxy)phenyl]propanoic acid, (3S)-3-{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(3,5-dimethylphenyl)propanoic acid, (3S)-3-{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(3-methylphenyl)propanoic acid, (3S)-3-{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-[3-(methyloxy)phenyl]propanoic acid, (3S)-3-[3,5-bis(methyloxy)phenyl]-3-{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}propanoic acid, (3S)-3-{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-quinolinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-[3-(trifluoromethyl)phenyl]propanoic acid, (3S)-3-{{1-[(2-chlorophenyl)methyl]-4-[(ethyl[(ethylamino)carbonyl]amino)carbonyl]amino]-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{4-(1-azetanyl)-1-[(2-chlorophenyl)methyl]-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{1-[(2-chlorophenyl)methyl]-4-[(2-[(2-(methyloxy)ethyl]oxy)ethyl]oxy]ethyl}oxy)-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{1-[(2-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{1-[(2-chloro-6-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{{1-[(2-chlorophenyl)methyl]-5-methyl-2-oxo-1,2-dihydro-3-pyridinyl} amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-(1,3-benzodioxol-5-yl)-3-(((2-oxo-1-((4-(trifluoromethyl)phenyl)methyl)-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)propanoic acid, (3S)-3-(((1-((2-chlorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-(((1-((2-fluorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-(((1-((2-bromophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-(((1-((2,4-dichlorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)

amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-((((1-((2-chloro-6-fluorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-((((1-((2-chlorophenyl)methyl)-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-trifluoromethyl)oxyphenyl)propanoic acid, (3S)-3-[[({1-(2-chloro-6-methoxybenzyl)-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl)amino]-3-(4-methylphenyl)propanoic acid, 4-{{3-[[({(1S)-2-carboxy-1-(4-methylphenyl)ethyl}amino)carbonyl)amino]-1-(2-chlorobenzyl)-2-oxo-1,2-dihydropyridin-4-yl}amino)benzoic acid, (3S)-3-{{({1-(2-chlorobenzyl)-4-[(2,2-dimethylpropanoyl)amino]-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl)amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-[[({4-[[({tert-butylamino)carbonyl]amino)-1-(2-chlorobenzyl)-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[({1-(2-cyanobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[({1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl)amino]-3-(2,3-dihydro-1,4-benzodioxin-6-yl)propanoic acid, (3S)-3-[[({1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl)amino]-3-(7-methoxy-1,3-benzodioxol-5-yl)propanoic acid, (3S)-3-[[({1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl)amino]-3-(3-ethoxy-4-methoxyphenyl)propanoic acid, (3S)-3-[[({1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl)amino]-3-(3,4-dimethoxyphenyl)propanoic acid, (3S)-3-[[({1-(4-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[({1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[({1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[({1-(2,6-difluorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[[({1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl)amino]-3-(3,5-dimethoxyphenyl)propanoic acid, (3S)-3-[[({1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-[[({1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[[({1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl)amino]-3-(3-methoxy-4-methylphenyl)propanoic acid, (3S)-3-[[({1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl)amino]-3-(3,5-dimethoxy-4-methylphenyl)propanoic acid, (3S)-3-[[({1-

(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-dimethylphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-5-ethyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-5-(trifluoromethyl)benzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-methylbenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2,6-dimethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-propoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-5-propyl-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-5-propyl-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-(3-butoxyphenyl)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]propanoic acid, (3S)-3-[(1-(2-chloro-5-(methylsulfonyl)benzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-[3-(2-methoxyethoxy)phenyl]propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-dipropoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-[3-(difluoromethoxy)phenyl]propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-methylbenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-cyanobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, 3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-

3-yl]amino}carbonyl)amino]-3-(2-naphthyl)propanoic acid and (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-methoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-methylbenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(1-methyl-1H-indol-5-yl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(2,3-dihydro-1-benzofuran-5-yl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3,5-diethoxyphenyl)propanoic acid, (3S)-3-[(1-(5-chloro-1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3-propoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-phenylpropanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(1,3-diethyl-2-oxo-2,3-dihydro-1H-benzimidazol-5-yl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-[3-(trifluoromethoxy)phenyl]propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[(1-(2-

chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(1-methyl-1H-indol-5-yl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-5-cyclopropyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-5-cyclopropyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-5-methoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-6-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(1-methyl-1H-indol-6-yl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-[3-(cyclopropyloxy)phenyl]propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-[3-(cyclopropylmethoxy)phenyl]propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-[3-(cyclopropylmethoxy)phenyl]propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3,5-dimethylphenyl)propanoic acid, (3S)-3-[(1-(2-chlorophenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-{3-[(difluoromethyl)oxy]phenyl}propanoic acid, (3S)-3-[(1-(2-chlorophenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-{3-[(1,1,2,2-tetrafluoroethyl)oxy]phenyl}propanoic acid, (3S)-3-[(1-(2-chlorophenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(1-ethyl-1H-indol-5-yl)propanoic acid and (3S)-3-[(1-(2-chlorophenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-[3-(diethylamino)phenyl]propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-

yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(6-methoxy-2-naphthyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3-methylphenyl)propanoic acid, (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-[3-(diethylamino)phenyl]propanoic acid, and (3S)-3-[(1-(2-chloro-6-methylphenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(1-methyl-1H-indol-5-yl)propanoic acid, (3S)-3-[(1-(2-chlorophenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-{3-[(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[(1-(2-chloro-6-methylphenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-{3-[(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[(1-(2-chlorophenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-{3-[methyl(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[(1-(2-chloro-6-methylphenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-{3-[methyl(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[(1-(2-chlorophenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-{3-[ethyl(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[(1-(2-chloro-6-methylphenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-{3-[ethyl(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-[(1-(2-chloro-6-methylphenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(1H-indol-5-yl)propanoic acid and pharmaceutically acceptable salts thereof.

26. (Original) (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid and pharmaceutical acceptable salts thereof.

27. (Withdrawn) (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid and pharmaceutically acceptable salts thereof.
28. (Withdrawn) (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-[3-(diethylamino)phenyl]propanoic acid and pharmaceutically acceptable salts thereof.
29. (Withdrawn) A compound selected from the group consisting of (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(4-methylphenyl)propanoic acid; (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(3-ethoxyphenyl)propanoic acid; (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl)amino]carbonylamino]-3-(3-isopropoxyphenyl)propanoic acid; (3S)-3-[(1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl)amino]carbonylamino]-3-(6-methoxy-2-naphthyl)propanoic acid; (3S)-3-[(1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl)amino]carbonylamino]-3-(3-methylphenyl)propanoic acid; (3S)-3-[(1-(2-chloro-6-methylphenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl)amino]carbonylamino]-3-(1-methyl-1H-indol-5-yl)propanoic acid; (3S)-3-[(1-(2-chlorophenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl)amino]carbonylamino]-3-{3-[(methylsulfonyl)amino]phenyl}propanoic acid; (3S)-3-[(1-(2-chloro-6-methylphenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl)amino]carbonylamino]-3-{3-[(methylsulfonyl)amino]phenyl}propanoic acid; (3S)-3-[(1-(2-chlorophenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl)amino]carbonylamino]-3-{3-[methyl(methylsulfonyl)amino]phenyl}propanoic acid; (3S)-3-[(1-(2-chloro-6-methylphenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl)amino]carbonylamino]-3-{3-[methyl(methylsulfonyl)amino]phenyl}propanoic acid; (3S)-3-[(1-(2-chlorophenyl)methyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl)amino]carbonylamino]-3-{3-[ethyl(methylsulfonyl)amino]phenyl}propanoic acid; (3S)-3-[(1-(2-chloro-6-

methylphenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl} amino)carbonyl]amino}-3-{3-[ethyl(methylsulfonyl)amino]phenyl}propanoic acid, (3S)-3-{{1-[(2-chloro-6-methylphenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl} amino)carbonyl]amino}-3-(1H-indol-5-yl)propanoic acid and pharmaceutically acceptable salts thereof .

30. (Original) A pharmaceutical composition comprising:

a compound of claim 1

in a pharmaceutically acceptable carrier.

31. (Original) A method for selectively inhibiting $\alpha_4\beta_1$ integrin binding in a mammal comprising administering to said mammal a therapeutic amount of a compound of claim 1.